ELSEVIER

Analytica Chimica Acta 403 (2000) 359–361

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

# Author Index

Ala-Kleme, T.
—, Latva, M. and Haapakka, K.
Study on the radiative $^5D_4 \rightarrow {}^7F_j$ relaxation dynamics of Tb(III) in electrochemically excited self-assembled dimeric heterodinuclear Tb(III)–Ln(III)′ chelates 161
Arakawa, H., see Kanemitsu, M.(H.) 125

Baldini, F., see Preininger, C. 67
Barbosa, J., see Barrón, D. 339
Barbosa, J., see Barrón, D. 349
Barnett, N.W.
—, Bos, R., Evans, R.N. and Russell, R.A.
Synthesis, characterisation and preliminary analytical evaluation of three oxamide reagents for peroxyoxalate chemiluminescence 145
Barrón, D.
— and Barbosa, J.
Acid–base behaviour of substituted phenolic substances and resolution of acid strength in tetrahydrofuran 339
Barrón, D.
—, Buti, S. and Barbosa, J.
Standardization of potentiometric sensors and acid–base behaviour of a series of bases in nitrobenzene 349
Benavente, J., see Oleinikova, M. 91
Blanc, R.
—, González-Casado, A., Navalón, A. and Vílchez, J.L.
On the estimate of blanks in differential pulse voltammetric techniques: application to detection limits evaluation as recommended by IUPAC 117
Borsdorf, H.
—, Schelhorn, H., Flachowsky, J., Döring, H.-R. and Stach, J.
Corona discharge ion mobility spectrometry of aliphatic and aromatic hydrocarbons 235
Bos, R., see Barnett, N.W. 145
Botha, A., see van Staden, J.F. 279
Brunetto, R., see de Peña, Y.P. 249
Burguera, J.L., see de Peña, Y.P. 249
Burguera, M., see de Peña, Y.P. 249
Buti, S., see Barrón, D. 349

Calokerinos, A.C., see Deftereos, N.T. 137
Calzado, J.A.
—, Palet, C. and Valiente, M.
Metal affinity liquid membrane. Facilitated transport of nitrite 101
Cao, X., see Lin, C. 219
Carrero, P., see de Peña, Y.P. 249
Carvalho, R.S.H.
—, Tersariol, I.L.S., Nader, H.B. and Nakaie, C.R.
First purification of heparan sulfate disaccharides with an amine resin used as solid support for peptide synthesis 205
Casero, E.
—, Darder, M., Pariente, F. and Lorenzo, E.
Peroxidase enzyme electrodes as nitric oxide biosensors 1
Chai, Z., see Dai, X. 243
Chang, P.
— and Shih, J.-S.
Multi-channel piezoelectric quartz crystal sensor for organic vapours 39
Chen, Z.
—, Lin, J.-M., Uchiyama, K. and Hobo, T.
Determination of critical micelle concentrations of anionic surfactants based on ligand exchange micellar electrokinetic chromatography 173
Choi, M.M.F.
— and Xiao, D.
Single standard calibration for an optical oxygen sensor based on luminescence quenching of a ruthenium complex 57
Christensen, J.M., see Kristiansen, J. 265
Compañó, R., see Miralles, E. 197
Cong, X., see Guo, Z.-X. 225
Costa, A.C.S., see Ferreira, S.L.C. 259

Döring, H.-R., see Borsdorf, H. 235
Da, S.L., see Feng, Y.-Q. 187
Dai, X.
—, Chai, Z., Mao, X., Wang, J., Dong, S. and Li, K.
An α-amino pyridine resin preconcentration method for iridium in environmental and geological samples 243
Darder, M., see Casero, E. 1
de Peña, Y.P.
—, López, W., Burguera, J.L., Burguera, M., Gallignani, M., Brunetto, R., Carrero, P., Rondon, C. and Imbert, F.
Synthetic zeolites as sorbent materialfor on-line preconcentration of copper traces and its determination using flame atomic absorption spectrometry 249
Deftereos, N.T.
—, Grekas, N. and Calokerinos, A.C.
Flow injection chemiluminometric determination of albumin 137

PII: S0003-2670(99)00787-4

Dong, S., see Dai, X. 243

El'skaya, A.V., see Soldatkin, A.P. 25
Evans, R.N., see Barnett, N.W. 145

Feng, Y.-Q.
—, Xie, M.-J. and Da, S.-L.
Preparation and characterization of an L-tyrosine-derivatized β-cyclodextrin-bonded silica stationary phase for liquid chromatography 187
Ferreira, S.L.C.
—, Lemos, V.A., Moreira, B.C., Costa, A.C.S. and Santelli, R.E.
An on-line continuous flow system for copper enrichment and determination by flame atomic absorption spectroscopy 259
Fiamegos, Y.C.
—, Stalikas, C.D., Pilidis, G.A. and Karayannis, M.I.
Synthesis and analytical applications of 4-aminopyrazolone derivatives as chromogenic agents for the spectrophotometric determination of phenols 315
Flachowsky, J., see Borsdorf, H. 235

Gallignani, M., see de Peña, Y.P. 249
González-Casado, A., see Blanc, R. 117
Gründig, B., see Strehlitz, B. 11
Granados, M., see Miralles, E. 197
Grekas, N., see Deftereos, N.T. 137
Guo, Z.-X.
—, Hao, Y.-M., Cong, X. and Shen, H.-X.
Application of the dibromohydroxyphenylfluorone–molybdenum(VI) complex to the sensitive spectrophotometric determination of protein 225

Haapakka, K., see Ala-Kleme, T. 161
Hall, E.A.H., see Heng, L.Y. 77
Han, R., see Lin, C. 219
Hao, Y.-M., see Guo, Z.-X. 225
He, Z.-K., see Ling, L.-S. 209
Heng, L.Y.
— and Hall, E.A.H.
Methacrylic–acrylic polymers in ion-selective membranes: achieving the right polymer recipe 77
Henriksen, T., see Kristiansen, J. 265
Hjuler, K., see Mortensen, J. 273
Hobo, T., see Chen, Z. 173
Hua, L.
— and Tan, S.N.
Amperometric detection for capillary electrophoresis at a sol–gel carbon composite electrode 179

Imbert, F., see de Peña, Y.P. 249
Ipatov, A., see Mortensen, J. 273

Jaffrezic-Renault, N., see Soldatkin, A.P. 25

Kalman, E.-L.
—, Löfvendahl, A., Winquist, F. and Lundström, I.
Classification of complex gas mixtures from automotive leather using an electronic nose 31
Kanemitsu, M.(H.)
—, Arakawa, H., Yoda, R. and Maeda, M.
Chemiluminescent determination of lucigenin using thioureid derivatives 125
Karayannis, M.I., see Fiamegos, Y.C. 315
Kikuchi, Y.
— and Sakamoto, Y.
Complex formation of alkali metal ions with 18-crown-6 and its derivatives in 1,2-dichloroethane 325
Kopinke, H., see Strehlitz, B. 11
Kristiansen, J.
—, Christensen, J.M., Henriksen, T., Nielsen, N.H. and Menné, T.
Determination of nickel in fingernails and forearm skin (stratum corneum) 265
Kuroda, N.
—, Shimoda, R., Wada, M. and Nakashima, K.
Lophine derivatives and analogues as new phenolic enhancers for the luminol–hydrogen peroxide–horseradish peroxidase chemiluminescence system 131

López, W., see de Peña, Y.P. 249
Löfvendahl, A., see Kalman, E.-L. 31
Latva, M., see Ala-Kleme, T. 161
Lau, O.-W.
—, Shao, B. and Lee, M.T.W.
Affinity mass sensors: determination of fructose 49
Lee, M.T.W., see Lau, O.-W. 49
Legin, A., see Mortensen, J. 273
Lemos, V.A., see Ferreira, S.L.C. 259
Li, K., see Dai, X. 243
Lin, C.
—, Yang, J., Wu, X., Zhang, G., Liu, R., Cao, X. and Han, R.
Enhanced fluorescence of the terbium–gadolinium–nucleic acids system and the determination of nucleic acids 219
Lin, J.-M., see Chen, Z. 173
Ling, L.-S.
—, He, Z.-K., Song, G.-W., Yuan, D. and Zeng, Y.-e
A novel method for determination of DNA by use of molecular Light Switch' complex of $Ru(bipy)_2(dppx)^{2+}$ 209
Liu, R., see Lin, C. 219
Lorenzo, E., see Casero, E. 1
Lubenova, S., see Yordanov, N.D. 305
Lundström, I., see Kalman, E.-L. 31

Maeda, M., see Kanemitsu, M.(H.) 125
Malyszko, J., see Michalkiewicz, S. 333
Mao, X., see Dai, X. 243
Martelet, C., see Soldatkin, A.P. 25
Mencaglia, A., see Preininger, C. 67
Menné, T., see Kristiansen, J. 265
Michalkiewicz, S.
— and Malyszko, J.
Study on the stability of Co(III), Mn(III) and Tl(III) ions in acetic acid solutions 333
Miralles, E.

—, Compañó, R., Granados, M. and Prat, M.D.
Determination of metal-cyanide complexes by ion-interaction chromatography with fluorimetric detection 197
Moreira, B.C., see Ferreira, S.L.C. 259
Mortensen, J.
—, Legin, A., Ipatov, A., Rudnitskaya, A., Vlasov, Y. and Hjuler, K.
A flow injection system based on chalcogenide glass sensors for the determination of heavy metals 273
Muñoz, M., see Oleinikova, M. 91

Nader, H.B., see Carvalho, R.S.H. 205
Nakaie, C.R., see Carvalho, R.S.H. 205
Nakashima, K., see Kuroda, N. 131
Navalón, A., see Blanc, R. 117
Neubert, R.H., see Raith, K. 295
Nielsen, N.H., see Kristiansen, J. 265
Nohta, H., see Ragab, G.H. 155

Oleinikova, M.
—, Muñoz, M., Benavente, J. and Valiente, M.
Determination of structural and electrical parameters for activated composite membranes containing di-(2-ethylhexyl)dithiophosphoric acid as carrier 91

Palet, C., see Calzado, J.A. 101
Pariente, F., see Casero, E. 1
Pilidis, G.A., see Fiamegos, Y.C. 315
Prat, M.D., see Miralles, E. 197
Preininger, C.
—, Mencaglia, A. and Baldini, F.
Polymer-coated optical fibres for application in a direct evanescent wave immunoassay 67

Ragab, G.H.
—, Nohta, H. and Zaitsu, K.
Chemiluminescence determination of catecholamines in human blood plasma using 1,2-bis(3-chlorophenyl)ethylenediamine as pre-column derivatizing reagent for liquid chromatography 155
Raith, K.
— and Neubert, R.H.H.
Liquid chromatography–electrospray mass spectrometry and tandem mass spectrometry of ceramides 295
Richmond, R.
The analytical characterisation of sub-minute measurement duty cycles in flow injection analysis mass spectrometry, by their carry-over 287
Rondon, C., see de Peña, Y.P. 249
Rudnitskaya, A., see Mortensen, J. 273
Russell, R.A., see Barnett, N.W. 145

Sakamoto, Y., see Kikuchi, Y. 325
Santelli, R.E., see Ferreira, S.L.C. 259
Schelhorn, H., see Borsdorf, H. 235
Shao, B., see Lau, O.-W. 49
Shen, H.-X., see Guo, Z.-X. 225
Shih, J.-S., see Chang, P. 39
Shimoda, R., see Kuroda, N. 131
Soldatkin, A.P.
—, Volotovsky, V., El'skaya, A.V., Jaffrezic-Renault, N. and Martelet, C.
Improvement of urease based biosensor characteristics using additional layers of charged polymers 25
Song, G.-W., see Ling, L.-S. 209
Stach, J., see Borsdorf, H. 235
Stalikas, C.D., see Fiamegos, Y.C. 315
Strehlitz, B.
—, Gründig, B. and Kopinke, H.
Sensor for amperometric determination of ammonia and ammonia-forming enzyme reactions 11

Tan, S.N., see Hua, L. 179
Tersariol, I.L.S, see Carvalho, R.S.H. 205
Townshend, A.
Book Review 355

Uchiyama, K., see Chen, Z. 173

Vílchez, J.L., see Blanc, R. 117
Valiente, M., see Calzado, J.A. 101
Valiente, M., see Oleinikova, M. 91
van Staden, J.F.
— and Botha, A.
Spectrophotometric determination of thiocyanate by sequential injection analysis 279
Vlasov, Y., see Mortensen, J. 273
Volotovsky, V., see Soldatkin, A.P. 25

Wada, M., see Kuroda, N. 131
Wang, J., see Dai, X. 243
Winquist, F., see Kalman, E.-L. 31
Wu, X., see Lin, C. 219

Xiao, D., see Choi, M.M.F. 57
Xie, M.J., see Feng, Y.-Q. 187

Yang, J., see Lin, C. 219
Yoda, R., see Kanemitsu, M.(H.) 125
Yordanov, N.D.
— and Lubenova, S.
Effect of dielectric constants, sample container dimensions and frequency of magnetic field modulation on the quantitative EPR response 305
Yuan, D., see Ling, L.-S. 209

Zaitsu, K., see Ragab, G.H. 155
Zeng, Y.-e, see Ling, L.-S. 209
Zhang, G., see Lin, C. 219